

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

L Number	Hits	Search Text	DB	Time stamp
1	5	(Fibre or fiber) adj channel same adapter same activat\$3	USPAT; US-PGPUB; DERWENT	2004/09/17 17:24
2	3	((Fibre or fiber) adj channel same adapter same activat\$3) and @ad<=20001116	USPAT; US-PGPUB; DERWENT	2004/09/17 17:23
3	60	(Fibre or fiber) adj channel same activat\$3	USPAT; US-PGPUB; DERWENT	2004/09/17 17:24
4	27	((Fibre or fiber) adj channel same activat\$3) and @ad<=20001116	USPAT; US-PGPUB; DERWENT	2004/09/17 18:49
5	985	(Fibre or fiber) adj channel same adapter	USPAT; US-PGPUB; DERWENT	2004/09/17 18:49
6	0	((Fibre or fiber) adj channel same adapter) same wake\$	USPAT; US-PGPUB; DERWENT	2004/09/17 17:25
12	60	(Fibre or fiber) adj channel same activat\$3	USPAT; US-PGPUB; DERWENT	2004/09/17 18:49
13	27	((Fibre or fiber) adj channel same activat\$3) and @ad<=20001116	USPAT; US-PGPUB; DERWENT	2004/09/17 19:02
14	523	adapter same state same open	USPAT; US-PGPUB; DERWENT	2004/09/17 19:02
15	0	(adapter same state same open) same quasi\$1open	USPAT; US-PGPUB; DERWENT	2004/09/17 19:02
17	3	(adapter same state same open) same reject\$	USPAT; US-PGPUB; DERWENT	2004/09/17 19:02
18	1	((adapter same state same open) same reject\$) and @ad<=20001116	USPAT; US-PGPUB; DERWENT	2004/09/17 19:03
19	5519	activat\$3 same request same device	USPAT; US-PGPUB; DERWENT	2004/09/17 19:03
20	88	(activat\$3 same request same device) same adapter	USPAT; US-PGPUB; DERWENT	2004/09/17 19:03
21	69	((activat\$3 same request same device) same adapter) and @ad<=20001116	USPAT; US-PGPUB; DERWENT	2004/09/17 19:10
22	510	international.asn. same business.asn. same machines.asn. and (fibre or fiber) adj channel	USPAT; US-PGPUB; DERWENT	2004/09/17 19:11
23	208	(international.asn. same business.asn. same machines.asn. and (fibre or fiber) adj channel) and @ad<=20001116	USPAT; US-PGPUB; DERWENT	2004/09/17 19:11
24	73	(international.asn. same business.asn. same machines.asn. and (fibre or fiber) adj channel) and @pd<=20001116	USPAT; US-PGPUB; DERWENT	2004/09/17 19:11
25	3	international.asn. same business.asn. same machines.asn. and (fibre or fiber) adj channel same activat\$3	USPAT; US-PGPUB; DERWENT	2004/09/17 19:11
26	0	(international.asn. same business.asn. same machines.asn. and (fibre or fiber) adj channel same activat\$3) and @ad<=20001116	USPAT; US-PGPUB; DERWENT	2004/09/17 19:11
27	0	international.asn. same business.asn. same machines.asn. and (fibre or fiber) adj channel same quasi\$1open	USPAT; US-PGPUB; DERWENT	2004/09/17 19:12

-	2	713/170.ccls. and (Fibre or fiber) adj channel	USPAT; US-PGPUB; DERWENT	2004/09/16 13:59
-	1	(713/170.ccls. and (Fibre or fiber) adj channel) and @ad<=20001116	USPAT; US-PGPUB; DERWENT	2004/09/17 16:35
-	20	(Fibre or fiber) adj channel same adapter same open	USPAT; US-PGPUB; DERWENT	2004/09/17 16:35
-	11	((Fibre or fiber) adj channel same adapter same open) and @ad<=20001116	USPAT; US-PGPUB; DERWENT	2004/09/14 18:03
-	11	(Fibre or fiber) adj channel same authenticat\$3 same key	USPAT; US-PGPUB; DERWENT	2004/09/14 18:03
-	5	((Fibre or fiber) adj channel same authenticat\$3 same key) and @ad<=20001116	USPAT; US-PGPUB; DERWENT	2004/09/14 18:13
-	21	activation adj request same open	USPAT; US-PGPUB; DERWENT	2004/09/14 18:13
-	9	(activation adj request same open) and @ad<=20001116	USPAT; US-PGPUB; DERWENT	2004/09/14 18:13
-	24776	fiber adj optic adj cabl\$3	USPAT; US-PGPUB; DERWENT	2004/09/16 14:15
-	58	(fiber adj optic adj cabl\$3) same open same network	USPAT; US-PGPUB; DERWENT	2004/09/16 14:17
-	24	((fiber adj optic adj cabl\$3) same open same network) and @ad<=20001116	USPAT; US-PGPUB; DERWENT	2004/09/16 14:17

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore**  
RELEASE 1.8Welcome  
United States Patent and Trademark Office[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)[Quick Links](#)» [Search](#)**Welcome to IEEE Xplore\***

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

**Tables of Contents**

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

**Search**

- ☐ By Author
- ☐ Basic
- ☐ Advanced

**Member Services**

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

**IEEE Enterprise**

- ☐ Access the IEEE Enterprise File Cabinet

Your search matched **0** of **50** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine   **CNF** = Conference   **STD** = Standard**Results:****No documents matched your query.** **Print Format**[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

Untitled

Your search matched 0 of 50 documents.

A maximum of 500 results are displayed, 15 to a page, sorted by Relevance in Descending order.

((fibre <or> fiber) <and> channel <and> open) and ( pyr >= 1950 and pyr <= 2000)<and>adapter)



Welcome  
United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

» Se

### Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

### Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

### Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

### Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

### IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

 [Print Format](#)

Your search matched **7** of **326** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

### Refine This Search:

You may refine your search by editing the current search expression or enter a new one in the text box.


☐ Check to search within this result set

### Results Key:

**JNL** = Journal or Magazine   **CNF** = Conference   **STD** = Standard

#### 1 A new network structure for packet communication

*Mukherjee, B.;*

Global Telecommunications Conference, 1988, and Exhibition. 'Communications the Information Age.' Conference Record, GLOBECOM '88., IEEE , 28 Nov.-1 Dec. 1988

Pages:689 - 693 vol.2

[Abstract] [PDF Full-Text (448 KB)] **IEEE CNF**

#### 2 Information technology - telecommunications and information exchange between systems - local and metropolitan area networks - specific requirements. Part 5: token ring access method and physical layer specifications. Amendment 1: dedicated token ring operation and fiber optic media

ISO/IEC 8802-5, ANSI/IEEE Std 802.5, 1998 Edition , 13 July 1998

[Abstract] [PDF Full-Text (17908 KB)] **IEEE STD**

#### 3 Efficient sequencing techniques for variable-length messages in WDM networks

*Hamidzadeh, B.; Maode, M.; Hamdi, M.;*

Lightwave Technology, Journal of , Volume: 17 , Issue: 8 , Aug. 1999

Pages:1309 - 1319

[Abstract] [PDF Full-Text (160 KB)] **IEEE JNL**

#### 4 Transparent optical networks with time-division multiplexing

*Seung-Woo Seo; Bergman, K.; Prucnal, P.R.;*

Selected Areas in Communications, IEEE Journal on , Volume: 14 , Issue: 5 , 1996

Pages:1039 - 1051

[Abstract] [PDF Full-Text (1512 KB)] IEEE JNL

---

**5 Two-dimensional optical interconnect between CMOS IC's**

*Vanwassenhove, L.; Baets, R.; Brunfaut, M.; Van Campenhout, J.; Hall, J.; El K.; Melchior, H.; Neyer, A.; Thienpont, H.; Vounckx, R.; Van Koetsem, J.; Heremans, P.; Lentes, F.-T.; Litaize, D.;*

Electronic Components and Technology Conference, 2000. 2000 Proceedings. 50th , 21-24 May 2000

Pages:231 - 237

[Abstract] [PDF Full-Text (532 KB)] IEEE CNF

---

**6 A 12-channel data-format-free 1 Gb/s/ch parallel optical receiver**

*Hatakeyama, I.; Nagahori, T.; Miyoshi, K.; Nukada, Y.; Shine, T.; Watanabe, Uda, A.; Shiba, K.;*

Solid-State Circuits Conference, 1999. Digest of Technical Papers. ISSCC. 1999 IEEE International , 15-17 Feb. 1999

Pages:378 - 379

[Abstract] [PDF Full-Text (244 KB)] IEEE CNF

---

**7 A practical method of estimation of train mobile radio coverage in the 320 MHz band**

*Goundan, P.R.;*

TENCON '98. 1998 IEEE Region 10 International Conference on Global Communication in Energy, Computer, Communication and Control , Volume: 2 , 17-19 Dec. 1998

Pages:348 - 351 vol.2

[Abstract] [PDF Full-Text (312 KB)] IEEE CNF

---

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved


Untitled

Your search matched 7 of 326 documents.

A maximum of 500 results are displayed, 15 to a page, sorted by Relevance in Descending order.

((fibre <or> fiber) <and> channel <and> state) and ( pyr >= 1950 and pyr <= 2000)<and>open)





Search: ☒ The ACM Digital Library ☐ The Guide

+fibre +channel +state +activation +quasi



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Found 4 of 106,993

### Terms used fibre channel state activation quasi

relevance

expanded form

 Save results to a Binder

## Search Tips


☐ Open results in a new window

Try this search in The ACM Guide

Results 1 - 4 of 4

Relevance scale ☐ ☐ ☒ ☐ ☐

August 1989 **ACM SIGCOMM Computer Communication Review, Symposium proceedings on Communications architectures & protocols**, Volume 19 Issue 4

Full text available:  pdf(1.40 MB)

Additional Information: full citation, abstract, references, citings, index terms

This paper deals with the problem of reliable group communication for distributed applications, in the context of the Reliable Broadcast class of protocols. An atomic multicast protocol for token passing Lans is presented. The actual implementation is on an 8802/4 Token-bus, although it is applicable to 8802/5 Token-rings and the FDDI Fibre-Optic network. The simplicity and efficiency of reliable broadcast protocols may be considerably improved, if the system fault model is restr ...

103

April 1982 **ACM SIGCOMM Computer Communication Review**, Volume 12 Issue 2

Full text available:  pdf(648.60 KB)

Additional Information: full citation, references

<p>  <b>AMERICAN PSYCHOLOGICAL ASSOCIATION</b>          1200 17th St., N.W.          Washington, D.C. 20036-3000          Tel: 202/336-6000          Fax: 202/336-6001          E-mail: <a href="mailto:info@apa.org">info@apa.org</a>          Web: <a href="http://www.apa.org">http://www.apa.org</a> </p>	<p>  <b>AMERICAN PSYCHOLOGICAL ASSOCIATION</b>          1200 17th St., N.W.          Washington, D.C. 20036-3000          Tel: 202/336-6000          Fax: 202/336-6001          E-mail: <a href="mailto:info@apa.org">info@apa.org</a>          Web: <a href="http://www.apa.org">http://www.apa.org</a> </p>
--	--

November 1998 **Proceedings of the 1998 ACM conference on Computer supported cooperative work**

Full text available:  pdf(1.24 MB)

Additional Information: full citation, references, citings, index terms


**Keywords:** CSCW, organisational memory, overhearing, papermill, peripheral awareness

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

January 2000 **Communications of the ACM**, Volume 43 Issue 1Full text available:  pdf(456.74 KB)

Additional Information: full citation, references, index terms

html(33.37 KB)



+fibre +channel +state +open +reject



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Found 10 of 106.993

relevance

expanded form

 Save results to a Binder

## Search Tips

☐ Open results in a new window

Try this search in The ACM Guide

Relevance scale 

- Full text available:
- 
- pdf(2.54 MB)

Additional Information: full citation


- August 1989 **ACM SIGCOMM Computer Communication Review , Symposium**  
**proceedings on Communications architectures & protocols, Volume 19 Issue 4**

Full text available:  pdf(1.40 MB)

**Additional Information:** full citation, abstract, references, citings, index terms

This paper deals with the problem of reliable group communication for distributed applications, in the context of the Reliable Broadcast class of protocols. An atomic multicast protocol for token passing Lans is presented. The actual implementation is on an 8802/4 Token-bus, although it is applicable to 8802/5 Token-rings and the FDDI Fibre-Optic network. The simplicity and efficiency of reliable broadcast protocols may be considerably improved, if the system fault model is restr ...

- November 1998
- Proceedings of the 5th ACM conference on Computer and communications security**

Full text available:  pdf(1.33 MB)

Additional Information: full citation, references, citings, index terms

- March 1984 **ACM Computing Surveys (CSUR)**, Volume 16 Issue 1

Full text available:  pdf(3.01 MB)

[Additional Information: full citation, abstract, references, citings, index terms, review](#)

The rapidly evolving field of local network technology has produced a steady stream of local network products in recent years. The IEEE 802 standards that are now taking shape,

because of their complexity, do little to narrow the range of alternative technical approaches and at the same time encourage more vendors into the field. The purpose of this paper is to present a systematic, organized overview of the alternative architectures for and design approaches to local networks.

...

5 Diaries at work

Mikko Kovalainen, Mike Robinson, Esa Auramäki

November 1998 **Proceedings of the 1998 ACM conference on Computer supported cooperative work**

Full text available:  pdf(1.24 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** CSCW, organisational memory, overhearing, papermill, peripheral awareness

6 Transmitting time-critical data over heterogeneous subnetworks using standardized protocols

W. Storz, G. Beling

December 1997 **Mobile Networks and Applications**, Volume 2 Issue 3


Full text available:  pdf(226.64 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Current communication networks consist of subnetworks of different types. Therefore a common network protocol has to be used for the transmission of data in such a heterogeneous network. Since some time the requirement of mobility in communication networks is showing up. For that reason wireless networks are playing an increasing role as subnetworks. On the other hand there is the need for multiplexed transmission of time-critical and non time-critical (normal) data within a heterogeneous n ...

7 A distributed computer system for professional audio

D. Anderson, R. Doris, J. Moorer

October 1994 **Proceedings of the second ACM international conference on Multimedia**


Full text available:  pdf(599.89 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In professional audio, the transition from analog to digital technology is nearly complete. The more recent shift towards systems based on general-purpose computers has been gradual, because such computers lack the processing and I/O performance needed for professional audio applications. The SonicSystem, a professional digital audio system, solves these problems using DSPs and a specialized file system. We describe the uses and implementation of the SonicSystem. A distributed ver ...

8 Adding a collaborative agent to graphical user interfaces

Charles Rich, Candace L. Sidner

November 1996 **Proceedings of the 9th annual ACM symposium on User interface software and technology**

Full text available:  pdf(1.58 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** SharedPlan, agent, collaboration, direct manipulating, discourse, window sharing

**9 An effective congestion control scheme for ATM networks**


Mohsen H. Guizani

March 1998 **International Journal of Network Management**, Volume 8 Issue 2Full text available:  pdf(98.57 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Congestion control is considered one of the most challenging issues of ATM. Simulation results are presented which show the performance superiority of the proposed scheme as compared to the conventional leaky bucket scheme. © 1998 John Wiley & Sons, Ltd.

**10 Experiences of building an ATM switch for the local area**

Richard Black, Ian Leslie, Derek McAuley

October 1994 **ACM SIGCOMM Computer Communication Review , Proceedings of the conference on Communications architectures, protocols and applications**, Volume 24 Issue 4Full text available:  pdf(1.12 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The Fairisle project was concerned with ATM in the local area. An earlier paper [9] described the preliminary work and plans for the project. Here we present the experiences we have had with the Fairisle network, describing how implementation has changed over the life of the project, the lessons learned, and some conclusions about the work so far.

Results 1 - 10 of 10

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



fibre channel state open

Homepage | Advanced Search

Search using:

HotBot

Google

Ask Jeeves

## CUSTOM WEB FILTERS

Tools | HotBot Skins

Date: Before November 16 2001 [ Edit this Search ]

## SPONSORED LINKS (filters not applied)

- [SAN Storage Solutions](#)  
Fibre Channel & SCSI Arrays Scalable Enterprise-Class RAID  
www.dothill.com/
- [Buy Fiberxon Products](#)  
Flexon, gbic, sfp, and optical transceivers available online  
www.semiconductorstore.com
- [Fibre Channels](#)  
Merchants compete for your business Instantly calculate lowest prices!  
www.pricegrabber.com
- [Fiber channel](#)  
Find the best deal! Compare prices, Reviews and More - CNET Shopper.com  
shopper.cnet.com
- [Fibre Channel Papers](#)  
Free White Papers and in-depth Reports on Fibre Channel technology  
www.bitpipe.com

SI

[NexTag - Comp](#)  
Find cheap prices,  
ratings & product i  
[NexTag.com](#)

[Fibre channel](#)  
Articles & Informal  
**channel**  
[BambooWeb.co](#)

[Discount Chani](#)  
Check out the car  
**Channel State** fo  
[www.ebay.com](#)  
Place

## WEB RESULTS by Google (Showing Results 1 - 10 of 3,500)

1. [Fibre Channel Examination](#)

... correct; it merely shows my understanding of the **Fibre Channel** specifications I had at ... FC of Laser Links: **Open Fibre** Control **state** machine. ...  
hsi.web.cern.ch/HSI/fcs/spec/exam.htm - 27 KB

2. [FIBRE CHANNEL](#)

... to meet the widest range of system **FIBRE CHANNEL** <http://www.cis.ohio-state.edu/~jain> specifies the (OFC) **Open Fibre** Control system, which is a ...  
www.ccse.kfupm.edu.sa/~nizar/download/fiber\_channel.pdf - 0 B

3. ["A Management Strategy for Fibre Channel Arbitrated Loop"](#)

... since the initiating manager would have to arbitrate, **open**, and close ... a storage array is ge valid **Fibre Channel** signal, but its **state** machine has ...  
www.storage.ibm.com/ibmsan/whitepaper/management.pdf - 0 B

4. [TOMORROW ' S SOLID STATERECDING SOLUTIONS TODAY](#)

... link structure that allows the solid **state** Removable Memory ... By utilizing this **channel** link the RMUs ... High Speed Input: Dual **Fibre Channel** PMC using ...  
www.spec.com/ssds/SPECSHEET.pdf - 0 B

5. [With today's ever- increasing SAN performance requirements, SSDs ...](#)

... SAN 520 with a single **Fibre Channel** interface ... a manufacturer of high performance solid-state located ... development for large mainframe and **open** systems data ...  
[www.naspa.com/PDF/2001/0501%20PDF/T0105001.pdf](http://www.naspa.com/PDF/2001/0501%20PDF/T0105001.pdf)

#### 6. No Slide Title

... DAS. SAN Value to the **Open** System Environments. ... Hardware infrastructure is in ready **st** **Fibre Channel** HBAs. **Fibre Channel** directors, switches and hubs. ...  
[searchstorage.techtarget.com/searchStorage/downloads/Users\\_Panel-Interstate](http://searchstorage.techtarget.com/searchStorage/downloads/Users_Panel-Interstate) - 0 B

#### 7. **Fibre Channel** Interface Product Manual

... 25 Page 8. viii **Fibre Channel** Interface Manual, Rev. ... 32 8.2.1 Loop initialization **state** ma  
...  
[www.seagate.com/support/disc/manuals/fc/67496a.pdf](http://www.seagate.com/support/disc/manuals/fc/67496a.pdf) - 0 B

#### 8. BROADCASTPAPERS.COM

... Just as **Fibre Channel** was designed for an efficient disk and ... in favor of **open** standards a interoperability ... that our customers have access to **state-of-the** ...  
[www.broadcastpapers.com/asset/GigE%20vs%20FC.htm](http://www.broadcastpapers.com/asset/GigE%20vs%20FC.htm) - 14 KB

#### 9. Review of Designing Storage Area Networks

... However, details of **Fibre Channel** fault management and network topology ... optimistic view current **state-of-the** ... He is a proponent of **open** standards, which I ...  
[www.jetcafe.org/~npc/reviews/computing/designing\\_storage\\_area\\_networks.html](http://www.jetcafe.org/~npc/reviews/computing/designing_storage_area_networks.html) - 6 KB

#### 10. SCSI and **Fibre Channel**

... most common mechanisms in the **open** systems world ... arbitration (Figure 3) . Figure 3 **Fib** Arbitrated-Loop ... ports continue in a monitoring **state** at this ...  
[www-ti.informatik.uni-tuebingen.de/os390/io/san04.pdf](http://www-ti.informatik.uni-tuebingen.de/os390/io/san04.pdf) - 0 B

---

[<< Previous](#) | [Next >>](#)

---

Search for "**fibre channel state open**" using: [HotBot](#), [Ask Jeeves](#)

---

[Advertise](#) | [Help](#) | [Text-only Skin](#) | [Submit Site](#) | [HotBot International](#) | [Yellow Pages](#)  
© Copyright 2004, Lycos, Inc. All Rights Reserved. | [Privacy Policy](#) | [Terms & Conditions](#) | [HotBot Your Site](#)

---



fibre channel state open adapter

Homepage | Advanced Search

Search using:

HotBot

Google

Ask Jeeves

## CUSTOM WEB FILTERS

Tools | HotBot Skins

Date: **Before November 16 2001** [ [Edit this Search](#) ]

## SPONSORED LINKS (filters not applied)

- **Fibre Channel Storage**

**Fibre-Channel & SCSI Arrays Scalable Enterprise-Class Solutions**  
[www.dothill.com/](http://www.dothill.com/)

- **Buy Fiberxon Products**

Flexon, gbic, sfp, and optical transceivers available online  
[www.semiconductorstore.com](http://www.semiconductorstore.com)

- **Fibre Channel Cables, etc**

Copper 2gbs FC cables - Sfp-Hssdc2 Gbic's, Mia's, Optical Cables - LVD  
[www.cselex.com](http://www.cselex.com)

- **Don't Buy Cheap Cables**

Buy quality. Buy factory direct. Customs in 2-3 days. Free catalog!  
[www.L-com.com](http://www.L-com.com)

- **Fibre Channels**

Find the Best Price on Technology Compare Products & Stores to Save  
[www.pricegrabber.com](http://www.pricegrabber.com)

**Fiber channel**

Find the best deal!  
 prices, Reviews an  
[Shopper.com](http://Shopper.com)  
[shopper.cnet.cc](http://shopper.cnet.cc)

**Fiber Channel**

Find the best price  
 Compare products  
 reviews  
[Calibex.com](http://Calibex.com)

**Fibre Channel**

Get **Fibre Channe**  
 Download Free Inf  
[www.bitpipe.co](http://www.bitpipe.co)

Place

## WEB RESULTS by Google (Showing Results 1 - 10 of 835)

1. Installing the **Fibre Channel** Device Driver

... After following the **Fibre Channel** (FC) installation instructions, there will ... that should be u  
 opening a raw ... fcs, FC **adapter** showing the **state** of the FC ...  
[nscup.upenn.edu/aix4.3html/fibr1063/1063gdrf/Instl\\_Dvs\\_Fibchan\\_1063ch2.htm](http://nscup.upenn.edu/aix4.3html/fibr1063/1063gdrf/Instl_Dvs_Fibchan_1063ch2.htm) - 7 KB

2. **SCSI and Fibre Channel**

... most common mechanisms in the **open** systems world ... arbitration (Figure 3) . Figure 3 **Fib**  
 Arbitrated-Loop ... ports continue in a monitoring **state** at this ...  
[www-ti.informatik.uni-tuebingen.de/os390/io/san04.pdf](http://www-ti.informatik.uni-tuebingen.de/os390/io/san04.pdf) - 0 B

3. Implementing **Fibre Channel** Attachment on the ESS

... xiv Implementing **Fibre Channel** Attachment on the ESS ... Today's **state**-of-the-art storage  
 must be ... S/390 attachment and SCSI for **Open** Systems attachment ...  
[www.redbooks.ibm.com/redbooks/pdfs/sg246113.pdf](http://www.redbooks.ibm.com/redbooks/pdfs/sg246113.pdf) - 0 B

## 4. Glossary: Dell PowerVault 35F User's Guide

... per second the signal can change the **state** of the ... The **Fibre Channel** N\_Port responsible  
 an exchange. ... the distance is limited by the **fibre** bandwidth ...  
[support.jp.dell.com/docs/stor-sys/spv35f/ug/glossary.htm](http://support.jp.dell.com/docs/stor-sys/spv35f/ug/glossary.htm) - 22 KB

## 5. Storage over IP (SoIP) Framework — An Introduction

... The paper will outline the current **state** of SANs with ... Storage The SoIP Framework is an o  
standards-based ... This means that any existing **Fibre Channel** or SCSI ...  
downloads.lightreading.com/storctr/nishan/SoIP%20Framework.pdf - 0 B

6. 2001, November week 1b, news archive on STORAGEsearch.com

... industry to the third generation of **open** SANs " said ... of market leaders in IP and **fibre cha**  
networking infrastructure ... Nibble Re: Solid **State** Disks Readers of ...  
www.storagesearch.com/news2001-nov2.html - 38 KB

7. **Fibre Channel** News

... at this scope in any other **open** group ... Ciprico that Sony Pictures Imageworks, Sony's **statu**  
production shipments for high-bandwidth **Fibre Channel** RAID disk ...  
hsi.web.cern.ch/HSI/fcs/news/jandec97.htm - 19 KB

8. Symmetrix **Fibre Channel** with Emulex Host Bus Adapters in the ...

... 8 Symmetrix **Fibre Channel** with Emulex HBAs on Windows Hosts ... firmware .awc file; ther  
to load ... you are upgrading more than one **adapter**, repeat steps 1 ...  
manuals.fujitsu-siemens.com/serverbooks/content/drivers/lp8000/emulex\_nt.pd - 0 B

9. NETSYS.COM - Sun Managers Mailing List Archives

... SCSI ID 125: AL\_PA 0 1 fcaw3: **Fibre Channel** WWNN: 100000e0694137f9 ... can't **open** /e  
Can't **open** /dev/rdisk ... trying to turn the internet into a police **state**. ...  
www.netsys.com/sunmgr/2001-04/msg00435.html - 18 KB

10. Patch Notice: DG/UX System Release R4.20MU06

... UNIX is a US registered trademark of The **Open** Group. ... pci(x x) Y Z Z) due to unexpected  
... I/O pacing to the epfc(7) **fibre channel adapter** driver for ...  
www-csc.dg.com/csc/lp8000\_alert/dguxsw/dguxp62rn.PDF - 0 B

---

« [Previous](#) | [Next](#) »

---

Search for "**fibre channel state open adapter**" using: [HotBot](#), [Ask Jeeves](#)

---

[Advertise](#) | [Help](#) | [Text-only Skin](#) | [Submit Site](#) | [HotBot International](#) | [Yellow Pages](#)

© Copyright 2004, Lycos, Inc. All Rights Reserved. | [Privacy Policy](#) | [Terms & Conditions](#) | [HotBot Your Site](#)

---





fibre channel state open adapter quasi

Homepage | Advanced Search

Search using:

HotBot

Google

Ask Jeeves

## CUSTOM WEB FILTERS

Tools | HotBot Skins

Date: **Before November 16 2001** [ Edit this Search ]

## SPONSORED LINKS (filters not applied)

- **SAN Storage Solutions**  
Fibre Channel & SCSI Arrays Scalable Enterprise-Class RAID  
www.dothill.com/
- **Fibre Channel Cables, etc**  
Copper 2gbs FC cables - Sfp-Hssdc2 Gbic's, Mia's, Optical Cables - LVD  
www.cselex.com
- **Fibre Channels**  
Compare Prices on Tech Products Read Reviews & Shop at Pricegrabber  
www.pricegrabber.com
- **Fiber channel**  
Find the best deal! Compare prices, Reviews and More - CNET Shopper.com  
shopper.cnet.com
- **Fibre channel adapter**  
Find the best prices and deals. Compare products, shops and reviews  
www.nextag.com

**Fibre Channel**

All kinds of Compo  
**Fibre Channel Ac**  
more -aff  
eBay.com

**Discount Chani**

Check out the car  
**Channel State** for  
www.ebay.com

**Open Channel**

Channels, Culverts  
Software with equ:  
www.lmnoeng.c

Place

## WEB RESULTS (Showing Results 1 - 10 of 26)

1. **Acronyms for telecom and satellite**

Dark Fibers and Satellite Teleports acronyms, valuable information  
www.turnkey.net/acronym.htm - January 21, 2001 - 252 KB

2. **NAVY - 93 Phase I Selections from the 97.2 Solicitation**

... sea environment of the **open** ocean, continental slope and the ... routes based on the **chani**  
well as flexibility ... routes based on the **channel state**, as well as flexibility ...  
www.dodsbir.com/awardlist/absnavy.htm - December 13, 2000 - 163 KB

3. **untitled**

Telecommunications Technology and Native Americans: Opportunities and Challenges August 1  
ITC- 621 1Recommended Citation: U. S. ... Native government, federal and **state** govern-ment  
www.empowermentzone.com/ind\_tel.txt - August 7, 1997 - 526 KB

4. **DoD SBIR FY98.1 - SOLICITATION SELECTIONS w/ ABSTRACTS**

... CCVD method is an **open** atmosphere deposition system capable ... high reliability, high **cha**  
long aperture and ... architecture is the "**quasi**-resonant" arrangement described in ...  
www.dodsbir.com/awardlist/all981.htm - April 11, 2000 - 550 KB

5. **LCN20 PRG**

... overview of ATM testbeds and **open** issues ... Albert, Colorado **State** University. "Performan  
of Switched **Fibre Channel** I/O ... of Salzburg. "**Quasi**-Static Load Balancing in ...

[www.ieeeln.org/prior/lcn20prg.html](http://www.ieeeln.org/prior/lcn20prg.html) - November 4, 1999 - 28 KB

#### 6. untitled

... Done using Host **Channel Adapter** (HCA) to different I/O ... and rejoins. **State** transfer, all of nodes to ... I/O nodes, with **fibre-channel** and Myrinet TCP to ...

[www.windowsclusters.org/downloads/cornellac3\\_review.ppt](http://www.windowsclusters.org/downloads/cornellac3_review.ppt) - July 7, 2001 - 188 KB

#### 7. untitled

1 at 9am - no one else was there at all. I managed to make my way inside the entry hall were 1 NASA style gift shop.

[www.friends-partners.org/pipermail/fpspace/2000-September.txt](http://www.friends-partners.org/pipermail/fpspace/2000-September.txt) - February 14, 2001 - 557 KB

#### 8. untitled

B 4+ 4: 241-245; 1987" "Comparison of Measured and Calculated Antenna Sidelobe Coupling L Near Field Using Approximate Far-Field Data" "Francis M.H.; Stubenrauch C.F.; + " "IEEE Trans. Propag.

[www.boulder.nist.gov/exec/pubsdata.dbf](http://www.boulder.nist.gov/exec/pubsdata.dbf) - August 29, 1996 - 503 KB

#### 9. untitled

For Information on NASA-Sponsored STS-51 Experiments Michael Braukus ORFEUS-SPAS 202/3 Headquarters, Wash., D.C. ... RMS), ASTRO-SPAS operates **quasi**-autonomously for several data propellants and the spacecraft **adapter** and clamp band which ... then be unlatched and rotated satellite-booster ...

[www.hq.nasa.gov/office/pao/ftp/pressrel/1993/93-121.txt](http://www.hq.nasa.gov/office/pao/ftp/pressrel/1993/93-121.txt) - July 22, 1994 - 127 KB

#### 10. Telecom Glossar

... Application Response Measurement API [**open** API for end-to-end ... interface between a host (bus interface) and the ... Correction **Channel**. FCI. **Fibre Channel** Interface [155mb/s] ...


[www.teltschik.org/computers/liste.html](http://www.teltschik.org/computers/liste.html) - June 29, 1998 - 238 KB

---

« [Previous](#) | [Next](#) »

---

Search for "**fibre channel state open adapter quasi**" using: [Google](#), [Ask Jeeves](#)

Portions powered by  Inktomi

---

[Advertise](#) | [Help](#) | [Text-only Skin](#) | [Submit Site](#) | [HotBot International](#) | [Yellow Pages](#)

© Copyright 2004, Lycos, Inc. All Rights Reserved. | [Privacy Policy](#) | [Terms & Conditions](#) | [HotBot Your Site](#)

---